# MADAN, MOSSMAN & SRIRAM, P.C.

NOV 1 4 2005

Attorneys At Law

2603 Augusta Drive, Suite 700, Houston, Texas 77057-5638 713 266-1130 Fax 713 266-8510

# **FACSIMILE COVER SHEET**

DATE:

November 14, 2005

TO:

Examiner Eliseo Ramos Feliciano

COMPANY OR FIRM:

PTO

**FACSIMILE NO.:** 

(571) 273-8300

FROM:

Beth Pearson-Naul for Todd A. Bynum

RE:

Serial No.: 09/361,020 Docket No.: IO-1036US

Title: "Seismic Telemetry System"

NUMBER OF PAGES INCLUDING THIS COVER SHEET: 6

IF ANY OF THESE PAGES ARE NOT RECEIVED, PLEASE CALL BETH AT (713) 266-1130, ext. 117

### CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence (Response to Final Office Action Dated August 11, 2005), is being transmitted by facsimile to the Official Patent Application Related Correspondence, facsimile no. (571) 273-8300 on this 14th day of November, 2005.

Roth Pearson Naul

#### CONFIDENTIALITY NOTICE

The documents included in this facsimile may contain information that is confidential or privileged, or both, and is intended only for the use of the individual or entity named on this facsimile cover letter. Any disclosure, copying, distribution, dissemination, or use of this information by any person other than the intended recipient is prohibited. If you have received this facsimile in error, please notify us by collect telephone call at (713) 266-1130 so that we can arrange for either the retrieval of the transmitted documents at no cost to you, or destruction of the transmitted documents.

NOV 1 4 2005

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: James Iseli et al.

തതതതതത Group Art Unit: 2687

SERIAL NO.: 09/361,020

Examiner: Eliseo Ramos Feliciano

FILED: July 23, 1999

Atty. Docket: IO-1036US

TITLE: "Seismic Telemetry System"

Confirmation No.: 4977

MS: AF

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

# **RESPONSE TO FINAL OFFICE ACTION DATED AUGUST 11, 2005**

This is in response to the Final Office Action, dated August 11, 2005 for the aboveidentified patent application.

Remarks begin at page 2.